	Application No.	Applicant(s)
	09/762,821	SELMER-OLSEN ET AL.
Notice of Allowability	Examiner	Art Unit
	Carolyn A Paden	1761
The MAILING DATE of this communication apperall claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in or other appropriate commu GHTS. This application is s	this application. If not included nication will be mailed in due course. THIS
1. This communication is responsive to <u>1-22-04</u> .		
2. ☑ The allowed claim(s) is/are <u>6-13</u> .		
3. \boxtimes The drawings filed on <u>4-23-01</u> are accepted by the Examin	er.	
4. Acknowledgment is made of a claim for foreign priority una All b) Some* c) None None None None Some* None None	been received. been received in Application cuments have been received of this communication to file lENT of this application. itted. Note the attached EXA as reason(s) why the oath or the submitted. on's Patent Drawing Review as Amendment / Comment or 184(c)) should be written on the header according to 37 CFI sit of BIOLOGICAL MATE	in No in this national stage application from the a reply complying with the requirements MINER'S AMENDMENT or NOTICE OF declaration is deficient. (PTO-948) attached in the Office action of e drawings in the front (not the back) of R 1.121(d). RIAL must be submitted. Note the
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Su Paper No./I 8), 7. ⊠ Examiner's /	ormal Patent Application (PTO-152) mmary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allowance

Application/Control Number: 09/762,821

Art Unit: 1761

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

The specification has been amended to comply with the standard format for U.S. Patent applications. In the specification at page 1, after the title –Background of the Invention- has been inserted. At page 4, at the end of the paragraph on the top of the page at line 10, -Summary of the Invention- has been inserted. At page 4, line 18 before the paragraph starting with "The invention" -Brief Description of the Drawings- has been inserted. At page 5, before line 1, -Detailed Description of the Invention-has been inserted.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Davis on February 20, 2004.

Claim 5 has been cancelled.

Application/Control Number: 09/762,821 Page 3

Art Unit: 1761

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carolyn A Paden whose telephone number is (571) 272-1403. The examiner can normally be reached on Monday to Friday from 7 am to 3:30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Milton Cano, can be reached on (571) 272-1398 or by dialing 571-272-1700. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Carolyn Paden (7 6 1 Primary Examiner 2 - 23 - 04